Offer 361409

BOBST SP 76 BM from 2005

Die Cutting+Embossing+Foil Stamping

Offer Details

Offer Number	361409
Brand	BOBST
Model	SP 76 BM
Manufacturer	BOBST
Condition	
Year	2005
Incoterm	Load On Container
Cylinders Condition	
Under Power	Yes
Still in production	Yes
Test possible	Yes
Complete and in working condition	Yes
Availability	Immediately
Counter	
Machine number	

Description	Format max: 760mm x 560mm Format min: 300mm x 260 mm Gripper margin: 9-17mm Stamping/Embosing size: - max 750mm x 541mm - min 300mm x 260 mm Working material: 80-600gr (paper/cardboard) Speed max 7000 Adjustable temperature: 50°C-160°C BM System: - Reel diameter max 250mm - Hub diameters 25mm or 76mm - Foil width 25mm - 760mm - Number of foil advance shafts: 3 Height of embossing plates: 6.37mm/7mm Embossing force adjustable up to 1.6MN Pile height at feeder: - in normal mode: 980mm - in non-stope mode: 780mm Pile height at delivery: - in normal mode: 850mm - in non-stope mode: 780mm Adjustable centerline: - lateral correction: +/-0.9mm; - longiudal correction: +/-0.9mm; Honecomb plate for hot-foli and hologram stamping - 1 set; Without die-cutting equipment; Books and manuals Flange system with 3 axles + 6 sets foil rolls (Every axles works with up to 6 foil rolls) Brake system Flange system with 3 axles + 6 sets foil rolls (Every axles works with up to 6 foil rolls) Brake system

Technical details

Max. size	760x560 mm
Min. size	300x260 mm
Speed	up to 7000 s/h
Max. Stamping & Embossing Size	541mm x 750mm
Max. Die Cutting Size	546mm x 760mm
Paper	80 – 90 g/m²
Corrugated Board	up to 1.8mm (max.)
Carton Board	600 g/m² (max.)
HS Code	84439959 HS Codes Classification of Other

PRICE: Upon request

Images



BOBST