Offer 383130

BOCHEN GFH-1500A from 2026

Laminators Sheet

Offer Details

Offer Number	383130
Brand	Bochen
Model	GFH-1500A
Manufacturer	Bochen
Condition	New
Year	2026
Incoterm	Free On Board
Cylinders Condition	
Under Power	No
Still in production	No
Test possible	No
Complete and in working condition	No
Availability	20 Days
Counter	
Machine number	

Description	The GFH-1500A is a new-generation automatic flute laminating machine designed to deliver maximum speed, precision, and intelligent automation for modern packaging and converting industries. Engineered for high-performance production environments, this machine combines advanced servo technology, automatic adjustment systems, and premium international components to ensure outstanding laminating quality and production efficiency. High Productivity for Industrial Packaging The GFH-1500A is built for demanding production requirements and can achieve: Up to 200 meters/minute Up to 24,000 sheets/hour Laminating precision up to ±0.8 mm Thanks to its advanced overlap feeding system with non-stop correction, the machine significantly increases productivity while reducing downtime and energy consumption. Key Advantages ✔ Intelligent Automatic Feeding System The top sheet feeding unit uses servo-controlled positioning and automatic correction technology to guarantee: excellent registration accuracy stable operation at high speed precise alignment between printed sheets and corrugated board The machine can process: cardboard corrugated board from flute A to F paperboard above 400 gsm ✔ Fully Automatic Adjustments The GFH-A series minimizes manual intervention through: automatic thickness detection automatic glue adjustment automatic roller gap adjustment job memory function fast order changeover This dramatically reduces setup times and operator workload while improving production consistency. ✔ High-Efficiency Glue System The large 160 mm stainless steel anilox roller ensures: uniform glue coating reduced glue consumption stable and precise laminating quality The independent glue roller control system prevents glue overflow during machine stops, reducing waste and improving efficiency. ✔ Advanced Servo-Controlled Precision The machine is equipped with premium international components, including: 13 servo motors Siemens PLC system Yaskawa servo motors Becker vacuum pumps Schneider and Omron electrical components This configuration guarantees: industrial reliability stable production performance low maintenance long operational lifetime ✔ Intelligent Control & Smart Production The touchscreen control panel provides intuitive machine management with: integrated HD video monitoring automatic parameter control order management system quick diagnostics memory storage for previous jobs The “One-Click Adjustment” system allows fast machine setup simply by entering the sheet size. Ideal Applications Premium packaging Corrugated box production

Technical details

Max Sheet	1500×1500mm
Min Sheet	360×380mm
Top Paper Thickness	120
Max Speed	200m/min
Precision	±0.8
Power	22KW
Bottom Paper Thickness	≤10mm(A
Glue consumption	B flute: 15g/□ E flute: 20g/□

PRICE: Upon request

Images