



Offer 373777

## HEIDELBERG EUROBIND 600 from 2008

Perfect Binders

### Offer Details

<b>Offer Number</b>	373777
<b>Brand</b>	HEIDELBERG
<b>Model</b>	Eurobind 600
<b>Manufacturer</b>	HEIDELBERG
<b>Condition</b>	Good
<b>Year</b>	2008
<b>Incoterm</b>	EX Works
<b>Cylinders Condition</b>	
<b>Under Power</b>	Yes
<b>Still in production</b>	Yes
<b>Test possible</b>	Yes
<b>Complete and in working condition</b>	Yes
<b>Availability</b>	
<b>Counter</b>	
<b>Machine number</b>	

<b>Description</b>	<p>Glue Vapor Extraction,  Flaps And Creasing Tools,  Envelope Double Sheet Control,  Touch Screen With Simple Setting Via Icons,  Preheating Timer, For Spine And Side Gluing,  Copy Counter,  Error Analysis, Etc.,  Pneumatic Opening And Closing Pliers,  Automatic Adjustment Of Nipper Opening According To Block Thickness,  Side Gluing Disc According To Block Thickness,  Back Creasing According To Block Thickness,  Creasing Depth,  Positioning Of The Rear Envelope Guide Rail According To The Envelope Width,  Adjustable Milling Depth 0-3mm, Backworking Station With A Combination Tool With Dust Cutters,  Height Adjustable Notching Knife And Ring Brush, Hotmelt Adhesive Basin With Two Application Rollers And Glue Squeegee And Integrated Side Gluing Unit With Slanted Discs (Production Possible Without Side Glue),  Cover feeder With Integrated Double Creasing Unit (Decorative Creasing Possible),  Automatic Envelope Pressing,  Belt Delivery With Single Compartment Stacker,</p>
--------------------	---

## Technical details

<b>Block width</b>	120
<b>Block height</b>	120
<b>Block thickness</b>	2
<b>Signature grammage</b>	60
<b>Overall cover width</b>	242
<b>Cover height</b>	120
<b>Cover grammage</b>	120
<b>Max. speed</b>	ca. 600 cycles per hour
<b>spine glue</b>	PUR nozzle application system
<b>side gluing unit</b>	EVA
<b>Power supply Europe</b>	400V, 50Hz, 3 Phasen+N+PE/18 (20A)/9,9kVA
<b>Power supply US</b>	220V, 60Hz, 3 phases+PE/25A (25A)/ 7.6 kVA
<b>HS Code</b>	84439959 HS Codes Classification of Other

**PRICE: Upon request**

## Images

