



Offer 382875

# HEIDELBERG SM 102-4P (2000+) from 2005

4 Color

## Offer Details

<b>Offer Number</b>	382875
<b>Brand</b>	HEIDELBERG
<b>Model</b>	SM 102-4P (2000+)
<b>Manufacturer</b>	HEIDELBERG
<b>Condition</b>	Good
<b>Year</b>	2005
<b>Incoterm</b>	
<b>Cylinders Condition</b>	
<b>Under Power</b>	Yes
<b>Still in production</b>	Yes
<b>Test possible</b>	Yes
<b>Complete and in working condition</b>	Yes
<b>Availability</b>	
<b>Counter</b>	196 mio.
<b>Machine number</b>	

<b>Description</b>	<p>printing unit control CPC,  inking unit inking rollers normal  temperature control device, single device prepared  program-controlled washup device with  preparation for temperature control complete preparation (version II)  remote distributor-roller adjustment with  blanket cylinder surface, blanket cylinder chromium-plated  blowing device, blanket/impression cyl. all units  blanket standard operation  plate cylinder cylinder undercut, plate cyl. 0,15  plate clamping device type of clamping AutoPlate  sheet transfer jackets transfer drums structural chrome  cylinder jacket for impression cylinder Perfect Jacket  feeder extra accessory pull lay control with  double sheet detector - pulling device with  multiple-sheet detector/ forwarding roller with  multiple-sheet detector/ tear-off detector with  rear edge blowers with  delivery delivery normal (X0)  sheet guidance guide plate cooled  dryer control via CANopen with  dryer HD-IR-Plus  dryer cabinet version air-cooled  non-stop rake with non-stop version manual  sheet slow-down device O-ring brake  Powder/process air suction device CleanStar Compact  2 neutralizer blowers in the feeder with  electrical equipment frequency (Hz) 60 Hz  press voltage 480 volts  cable length control console 12,5 m  cable length to the control box standard  mains voltage (Volt) 115 Volt  country version Regions USA  documentation language customer English  documentation language fitter English  exhaust hood, air supply cabinet with  Alcolor automatic Film Dampening  CP 2000 Control Center  Autoplate (semi-automatic plate loader)  TECHNOTRANS cooling + circulation unit  ITC Ink temperature control  Automatic wash-up device  Preset Plus in feeder and delivery  ELTEX antistatic eliminator  INTERCOM  AirStar Pro Air cabinet water-cooled  Ultrasonic double sheet control</p>
--------------------	---

## Technical details

<b>Max. paper size</b>	720x1020 mm
<b>Smallest size</b>	400x420 mm
<b>Image area</b>	700x1020 mm
<b>Length</b>	8880 mm
<b>Width</b>	3310 mm
<b>Height</b>	2170 mm
<b>Weight approx.</b>	28580 kg
<b>Colors</b>	4
<b>HS Code</b>	84431300
<b>transport by truck</b>	2 full truck
<b>transport by sea</b>	2x 40 ft. container

**PRICE: Upon request**

**Images**

