



Offer 381531

# HEIDELBERG XL 106-7+LX from 2018

7 Color

## Offer Details

<b>Offer Number</b>	381531
<b>Brand</b>	HEIDELBERG
<b>Model</b>	XL 106-7+LX
<b>Manufacturer</b>	HEIDELBERG
<b>Condition</b>	Good
<b>Year</b>	2018
<b>Incoterm</b>	
<b>Cylinders Condition</b>	
<b>Under Power</b>	Yes
<b>Still in production</b>	Yes
<b>Test possible</b>	Yes
<b>Complete and in working condition</b>	Yes
<b>Availability</b>	
<b>Counter</b>	57 mio.
<b>Machine number</b>	

<b>Description</b>	<ul style="list-style-type: none"> <li>• Prinect Press Center XL2</li> <li>• Prinect instant gate</li> <li>• WallScreen application</li> <li>• WallScreen hardware</li> <li>• Prinect Color Assistant Pro</li> <li>• Prinect DryStar Advanced IR</li> <li>• Prinect InstantStart UV</li> <li>• Push to Stop</li> <li>• Feeder with non-stop device</li> <li>• Stream control</li> <li>• Pull lay double sheet detector</li> <li>• Add. Sheet travel for Stream Control</li> <li>• Foil printing kit</li> <li>• Impression cylinder wash-up device (cloth system)</li> <li>• Blanket wash-up device with cloth</li> <li>• Air transfer system</li> <li>• Basic equipment UV in the printing unit</li> <li>• Preparation for interdeck drying between all printing units</li> <li>• DryStar UV interdeck CAN with 2 radiators IST (water cooled)</li> <li>• Saphira Blanket Pro UV 1000</li> <li>• Saphira kit wash &amp; go system</li> <li>• Mechanical Hickey remover</li> <li>• CombiStar CAN (water cooled)</li> <li>• Ink mist extraction</li> <li>• Automatic ink agitator</li> <li>• Automatic inking unit wash-up device</li> <li>• UV inking rollers</li> <li>• UV dampening rollers</li> <li>• Non-stop delivery with rake</li> <li>• PowderStar AP 500 CAN</li> <li>• Delivery extension with three extension modules X3</li> <li>• UV preparation for the delivery</li> <li>• CleanStar Compact</li> <li>• DryStar Combination UV CAN with 4 slide-in units (water cooled)</li> <li>• Patented pressurized chambered blade system</li> <li>• Chambered blade coating unit</li> <li>• Nr.2 additional trihelical screen rollers</li> <li>• Chambered blade system</li> <li>• Coating form cylinder with combination clamping system</li> <li>• CoatingStar Compact CAN</li> <li>• Second varnish circuit with CoalingStar Compact CAN</li> <li>• UV preparation for coating unit</li> <li>• Cardboard kit</li> <li>• Manual film and plate punch Cylinders damage free</li> </ul> <p>System with neutral grounding</p> <ul style="list-style-type: none"> <li>• Acoustic package</li> <li>• Elevation of the press by 525 mm</li> <li>• Energy Meter (main device, in the main cabinet)</li> <li>• 2 additional energy meters for UV dryers</li> </ul> <p>Autoplate (semi-automatic plate loader)</p> <p>Axis Control INTERCOM Scroll Star AirStar Pro Air cabinet water-cooled Preset plus in feeder</p>
--------------------	---

## Technical details

<b>Max. sheet size</b>	750 x 1060 mm
<b>Min. sheet size</b>	340 x 480 mm
<b>Max. print area</b>	740 x 1050 mm
<b>Thickness</b>	0.03
<b>speed</b>	18,000 s/h
<b>Plate size</b>	811 x 1,055 mm
<b>HS Code</b>	84431300

**PRICE: Upon request**