



Offer 381706

HEIDELBERG XL 75-6+L (F) from 2016

6 Color

Offer Details

Offer Number	381706
Brand	HEIDELBERG
Model	XL 75-6+L (F)
Manufacturer	HEIDELBERG
Condition	Good
Year	2016
Incoterm	
Cylinders Condition	
Under Power	Yes
Still in production	Yes
Test possible	Yes
Complete and in working condition	Yes
Availability	07/2026
Counter	115 mio.
Machine number	

Description	<p>Console Prinect Press Center console touch screen, axial, circumferential and diagonal register remote control, ink ductors rotation control, job memorization Prinect Press Center MasterLevel Prinect Press Center Color Assistant Pro Press Center InstantStar Prinect Press Center InstantGate Image Control: Spectrophotometric quality control on all the surface of the printed sheet Feeder Pile height sensor Pneumatic side register control with integrated auto cleaning and double sheet control with direct system Non-Stop on feeder Double sheet detector - pulling device StaticStar Compact : No. 2 Eltex ion blowers on feeder, antistatic bars on feeder and delivery Printing Units Double diameter impression cylinders Double diameter transfer cylinder between printing units, with Air Transfer System with possibility to adjust automatically it based on thickness of material to print Roller wash-up device controlled by Prinect Press Center Blanket and impression cylinders automatic washing devices by Prinect Press Center Suction brush on 1 printing unit CombiStar PRO CAN : Technotrans ink temp control combined with damping refrigeration + Alcosmart Auto Protect. Protective fluid management system for the X PU inking rollers Blowing bar (anti-emulsion) on the inking units, recommended for UV and hybride X PU machines N.ro 3 x DryStar IST/UV Interdeck CAN to put in all transfer positions (full flexibility) Ink.mate Technotrans Ink agitators Varnishing units Varnishing unit 550 L./H., with cooking register, Tresu pressurized chambered doctor blade system, with anilox roller Coating Star : heat coater system One additional camera not pressured Nro 4 anilox rollers: 120 lines (paper); 100 lines (UV); 80 lines (cardboard); 60 lines (cardboard); Delivery Extended Delivery (240 cm / X3) PowderStar Weko AP 500 CANopen CleanStar Compact : filter for powder spray suction DryStar Combination UV CAN with 4 modules (IR/HA + HA + EOP UV + Cold Air Module) Water Cooled Various 15.000 speed/h Technotrans Beta.t : Water refrigeration cabin for UV Dryer Elevated 550 mm Intercom : Microphone communication system ALCOLOR VARIO dampening system Autoplate Pro (full automatic plate loader) Non-stop feeder and delivery Automatic blanket, roller and impression-cylinder washing device Scroll Star AirStar Pro Air cabinet water-cooled</p>
--------------------	---

Technical details

Max. paper size	605x750 mm
Smallest size	340x350 mm
Image area	585x740 mm
Plate size	660x745 mm

Stock thickness	0,03 - 0,8 mm
Blanket size	620
Colors	6
HS Code	84431300

PRICE: Upon request