



Offer 383085

HERZOG + HEYMANN KL 112 from 2014

Folding Machines

Offer Details

Offer Number	383085
Brand	HERZOG + HEYMANN
Model	KL 112
Manufacturer	HERZOG + HEYMANN
Condition	Good
Year	2014
Incoterm	
Cylinders Condition	
Under Power	Yes
Still in production	Yes
Test possible	Yes
Complete and in working condition	Yes
Availability	
Counter	
Machine number	

Description	<p>incl. small-format equipment with MS-Control incl. preset counter ultrasonic double-sheet control with VACUSTAR with additional side blowers stack height 660 mm incl. inclined belt table MBO SBT long (1400 mm alignment length instead of 900 mm) HHS QS System "Waterscoring and Camera" consisting of:</p> <p>water-scoring equipment (8 nozzles) incl. 15 l tank, hoses, brackets photoelectric sensor and encoder</p> <p>Plus:</p> <p>Camera monitoring system with: 2 cameras (1 top / 1 bottom) for code reading and double-sheet control image comparison, data matrix reading and reject control with reject verification code-protected operating level usable with H+H diverter switch (on H+H transport carriage) Control System XTS²-Xcam-E8 consisting of: operating unit with 15" touchscreen control cabinet with industrial PC and 8-channel valve control Compressed air must be provided by the customer</p> <p>H+H Knife Folding Unit KL112.1/8 stationary feed width 52 cm 8 folding plates with sheet deflectors smallest fold 15 mm folding roller diameter 26 mm radial folding roller adjustment for precise movement sequence of the folding rollers ensures excellent folding quality at high speed folding rollers with Less-Static roller coating and slightly raised plastic segments slitting shafts with plug-in axle diameter 20 mm noise protection / safety device</p> <p>Options:</p> <p>7 x pharma groove (1 mm) surcharge for rollers in stainless-steel version extra set of slitting shafts incl. 7 x pharma groove</p> <p>4. H+H Transfer Section Type 220 long working width 52 cm with integrated reject in the middle, three-phase current motor-driven with MBO 24-pole electrical system (no CEE plug required for mains operation with self-drive)</p> <p>5. H+H Knife Folding Unit KL112.1/8 mobile feed width 45 cm 8 folding plates with sheet deflectors smallest fold 15 mm folding roller diameter 26 mm radial folding roller adjustment for precise movement sequence of the folding rollers ensures excellent folding quality at high speed folding rollers with Less-Static roller coating and slightly raised plastic segments slitting shafts with plug-in axle diameter 20 mm incl. roller table with ball strip, table rollers Ø 20 mm, spacing 22.5 mm (for mobile folding units) -45 noise protection / safety device</p> <p>6. Herzog + Heymann Press Station BP 450 2 high-precision press roller pairs Ø = 60 mm / Ø 40 mm working width up to 450 mm</p>
--------------------	---

Technical details

Max. sheet size	MBO F 530 max. 52x100cm
Min. sheet size	10,5x17cm

Speed	30
HS Code	84439959 HS Codes Classification of Other

PRICE: Upon request