



Offer 384641

KOLBUS KM 600 from 2015

Perfect Binders

Offer Details

Offer Number	384641
Brand	KOLBUS
Model	KM 600
Manufacturer	KOLBUS
Condition	Good
Year	2015
Incoterm	
Cylinders Condition	
Under Power	Yes
Still in production	Yes
Test possible	Yes
Complete and in working condition	Yes
Availability	Upon agreement
Counter	
Machine number	

Description	Kolbus KM 600 Perfect Binding line (2015) consist of Type: Kolbus ZU 805 Gathering stations: 28x Year: 2015 Hand feeding station: short device at the end of the ZU Sheet recognition system Cross-stack delivery QSA 500.Z Picture and text mode as well as Barcodemodus A Mounting bracket as a connecting element for the KM 600 Mechanical speed max: 5.000 cycles/h Infeed incl. coupling with an auxiliary feeder Type VA 423.A to connect between gatherer ZU 805 and perft binder KM 600 Kolbus KM 600 perfect binder with CoPilot (2015) Number of clamps: 32x Milling station Guzing station Book Block feeder Spine processing station for roughening and notching Eva Hotmelt spine gluing Twinflex dispersion spine gluing PUR: Nordson XNO 961 Spine Glue Eva Hotmelt side gluing Premelter for hotmelt spine gluing Premelter for hotmelt side gluing rill station for 4 times rill 1.Pressure bars for "Broschur" mode milled 2.Pressure bars for "Broschur" mode thread sewn 3.Pressure bars for "Schweizer Broschur" mode milled 4.Pressure bars include creasing tools for " Layflat Bindart I+II Dryer: IR Heating in steering range of the clamps Cover feeder: Drum cover feeder RA 49.A Nipping and Pressing station 2nd Nipping and Pressing station lay down device S P I N E R E I N F O R C E M E N T Tape application station for processing taping materials and gauze T E C H N I C A L D A T A M E C H A N I C A L O U T P U T Up to 7,000 cycles/h Perfect binder infeed: channel width max. 70 mm Net output depends on format, material, machine configuration, etc. B O O K B L O C K F O R M A T R A N G E Width x height x thickness Max. 320 x 383 x 60 mm Max. 190 x 460 x 60 mm Min. 100 x 105 x 3 mm Book block projection after spine processing: Min. 10 mm Max. 15 mm Kolbus FN 720 folding press (2015) For holding down the joint of a glued book block Double-line throughfeed (two channels) Conveyor and transport system (details on request) to; Kolbus HD 143.P three knife trimmer (2015) to; CoPilot system with touchscreen Infeed from right side Fine-grain carbide knives Spray device Small format capability: 70 x 100 mm (trimmed) Standard cutting tables Nr. 04-18 Cooling Conveyor and transport system (details on request) to; Kolbus LE 660 ribbon inserting machine (2015) for automatic inserting of one or two ribbons in trimmed book blocks Cooling Conveyor and transport system (details on request) to; Shrink wrapping machine Cooling Conveyor and transport system (details on request) to;
--------------------	---

Technical details

Max. book size	320x460 mm
Min. book size	100x105 mm
Max. speed	7000 cycles/h.
HS Code	84439959 HS Codes Classification of Other

PRICE: Upon request