Offer 379751

ROLAND R 708-LTT8LV -HIPRINT from 2015

8 Color

Offer Details

Offer Number	379751
Brand	ROLAND
Model	R 708-LTT8LV -HiPrint
Manufacturer	ROLAND
Condition	Good
Year	2015
Incoterm	EX Works
Cylinders Condition	
Under Power	Yes
Still in production	Yes
Test possible	Yes
Complete and in working condition	Yes
Availability	
Counter	51 mio.
Machine number	

Description	ManRoland EnergyLink SelectCompressor Printcom S blankets Lightning and overvoltage protection Specification: RCI Press Control InlineColorPilot color density and control system ColorPilot D + F – densitometry and colorimetry - PressPilot Comfort Inline Register for InlineColorPilot IntegrationPilot plus 2.0 - ProcessMonitor SpectroDrvie motorized measuring device for colormetric measurement SmartCard printing performance package Telepresence with integrated maintenance manager Roland Matic IPA free dampening rollers SelectCombiCenter-TECHNOTRANS beta. c Combi refrigeration Unit 2 Foiling Units QuickChange Job Plus QuickStart Plus QuickChange Infeed QuickChange Air QuickChange Color Plus Disengagable inking units on all printing units Triple flow inker QuickChange Surface QuickChange Wash SelectCleaningSystem-All automatic Washing devices (Brush) Double coating modules QuickChange Coating QuickChange Coating smart QuickChange Clamp System for quick coating change in coating modules Fine correction of the printing pressure adjustment between the form cylinder and impression cylinder of the coating module - Two transfer modules Extended Delivery SelectPowderSystem-powdering device Grafix Powdermax Perfect Ink mist removal unit with an integrated ink mist removal unit Preparation of the press for Interdeck and end of press UV SelectDryer UV Drying system Inking and Dampening rollers for exclusive use of UV inks Inking and dampening rollers for UV and Conventional inks in Printing Unit 1 SelectAntiStatic plus ionization system, manufactured by Eltex Manual nonstop device in feeder - Semiautomatic nonstop operation in delivery Semiautomatic inspection sheet removal with preselection of the number of inspection sheets (1 to 15 sheets) Accel Sentinel ink management system, without consol Machine elevated 550 mm ROLANDMATIC dampening system RCI Ink Control Remote APL automated plate loading (full automatic) LCS Low Coverage Stabilisation INTERCOM

Technical details

Max. paper size	740x1040 mm
Smallest size	340x480 mm
Image area	715x1020 mm
Plate size	785x1030 mm
Speed	16.000 sh/h
Length	15216 mm
Width	3450 mm
Height	2140 mm

Weight approx.	65250 kg
Colors	8
HS Code	84431300

PRICE: Upon request